

euroimmun 

From Revvity

UNIQO 160 – Test portfolio




Table of contents

Neurology	5	Rheumatology	8
Cerebellum (Monkey)	5	IIFT Mosaic: HEp-2/Liver (Monkey)	8
IIFT: Neurology Mosaic 1	5	IIFT Mosaic: HEp-2/Kidney (Rat)	8
IIFT: Neurology Mosaic 2	5	IIFT Mosaic: HEp-20-10/Liver (Monkey)	8
IIFT: Neurology Mosaic 8	5	IIFT Mosaic: HEp-20-10/Kidney (Rat)	9
IIFT: Neurology Mosaic 14	5	IIFT: HEp-2	9
IIFT: Neurology Mosaic 16	5	IIFT: HEp-20-10	9
IIFT: Glutamate Receptor Mosaic 3	5	IIFT: Crithidia luciliae sensitive (Anti-dsDNA)	9
IIFT: Nerves (Monkey)	5	Hepatology	9
Anti-MAG/HNK-1 IIFT	5	IIFT: Liver Mosaic 1	9
IIFT: Autoimmune Encephalitis Mosaic 6	6	IIFT: Liver Mosaic 8	9
Anti-Glutamate Receptor (type NMDA) IIFT	6	IIFT: Liver Mosaic 9	9
Anti-Glutamate Receptor (type AMPA1/2) IIFT	6	IIFT: Kidney (Rat)	9
Anti-GABA _B Receptor IIFT	6	IIFT: Mitochondria (AMA), Smooth muscles (ASMA)	9
Anti-DPPX IIFT	6	Anti-F-Actin IIFT	9
IIFT: Anti-VGKC-associated protein Mosaic 1	6	IIFT: Smooth muscles (ASMA)	10
Anti-Contactin-associated protein 2 IIFT	6	IIFT Mosaic: Stomach (Rat)/VSM47 cells (anti-F-actin)	10
Anti-Leucine-rich glioma-inactivated protein 1 (LGI1) IIFT	6	IIFT Mosaic: Basic Profile 1	10
Vaskulitis	7	IIFT Mosaic: Basic Profile 2	10
IIFT: Granulocytes (EOH)	7	IIFT Mosaic: Basic Profile 3	10
IIFT: Granulocytes (HCHO)	7	IIFT Mosaic: Basic Profile 3A	10
IIFT: Granulocyte Mosaic 2	7	IIFT Mosaic: Basic Profile 13B	10
IIFT: Granulocyte Mosaic 13	7	IIFT Mosaic: Basic Profile 3C	10
IIFT: Granulocyte Mosaic 15	7	Gastroenterology	11
EUROPLUS Granulocyte Mosaic 22	7	IIFT: Liver (Monkey) IgA	11
EUROPLUS Granulocyte Mosaic 25	7	IIFT: Liver (Monkey) IgG	11
EUROPLUS Granulocyte Mosaic 32	7	EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgA)	11
Nephrology	8	EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgG)	11
Membranous Nephropathy Mosaic 1 IIFT	8		
IIFT: Membranous Nephropathy Mosaic 1	8		
Anti-PLA2R IIFT	8		
Anti-Phospholipase-A2 Receptor (PLA2R) IIFT	8		
Anti-THSD7A IIFT	8		
Anti-THSD7A IIFT	8		

Autoimmune diagnostics

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
Neurology				
FA 1111-1005 FA 1111-1010	Cerebellum (Monkey) • cerebellum antigens (grey and white matter)	1 BIOCHIP per field: • cerebellum (monkey)	Ig AGM	-
FA 1111-1005-1 FA 1111-1010-1	IIFT: Neurology Mosaic 1 • medullated nerves • cerebellum antigens (grey and white matter) • non-medullated nerves	3 BIOCHIPS per field: • nerves (monkey) • cerebellum (monkey) • intestinal tissue (monkey)	Ig AGM	- - -
FA 1111-1005-2 FA 1111-1010-2	IIFT: Neurology Mosaic 2 • medullated nerves • cerebellum antigens (grey and white matter)	2 BIOCHIPS per field: • nerves (monkey) • cerebellum (monkey)	Ig AGM	- -
FA 1111-1005-8 FA 1111-1010-8	IIFT: Neurology Mosaic 8 • medullated nerves • cerebellum antigens (grey and white matter) • non-medullated nerves • pancreas islets	4 BIOCHIPS per field: • nerves (monkey) • cerebellum (monkey) • intestinal tissue (monkey) • pancreas (monkey)	Ig AGM	- - - -
FA 1111-1005-14 FA 1111-1010-14	IIFT: Neurology Mosaic 14 • cerebellum antigens (grey and white matter) • non-medullated nerves	2 BIOCHIPS per field: • cerebellum (monkey) • intestinal tissue (monkey)	Ig AGM	- -
FA 1111-1005-16 FA 1111-1010-16	IIFT: Neurology Mosaic 16 • medullated nerves • cerebellum antigens (grey and white matter) • non-medullated nerves • cell nuclei (ANA)	4 BIOCHIPS per field: • nerves (monkey) • cerebellum (monkey) • intestinal tissue (monkey) • HEp-2 cells (human)	Ig AGM	- - - -
FA 111m-1005-3 FA 111m-1010-3	IIFT: Glutamate Receptor Mosaic 3 • hippocampus antigens • cerebellum antigens (grey and white matter) • glutamate receptor (type NMDA)	4 BIOCHIPS per field: • hippocampus (rat) • cerebellum (rat) • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ + + -
FA 1120-1005	IIFT: Nerves (Monkey) • medullated nerves	1 BIOCHIP per field: • nerves (monkey)	Ig AGM	-
FA 1123-2005-50-R FA 1123-2010-50-R	Anti-MAG/HNK-1 IIFT • Myelin-associated glycoprotein (MAG/HNK-1)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgM	+ -

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
FA 112d-1005-6 FA 112d-1010-6	IIFT: Autoimmune Encephalitis Mosaic 6 • glutamate receptor (type NMDA) • glutamate receptor (type AMPA1/2) • contactin-associated protein 2 (CASPR2) • dipeptidyl aminopeptidase-like protein 6 (DPPX) • leucine-rich glioma-inactivated protein 1 (LGI1) • GABA _B receptor (GABAR _B 1/2)	6 BIOCHIPS per field: • transfected cells (EU 90) • transfected cells (EU 90) • transfected cells (EU 90) • transfected cells (EU 90) • transfected cells (EU 90) • transfected cells (EU 90)	IgG	+ + + + +
FA 112d-1005-51 FA 112d-1010-51	Anti-Glutamate Receptor (type NMDA) IIFT • glutamate receptor (type NMDA)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ -
FA 112k-1005-53	Anti-Glutamate Receptor (type AMPA1/2) IIFT • glutamate receptor (type AMPA1/2)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ -
FA 112l-1005-50	Anti-GABA_B Receptor IIFT • GABA _B receptor (GABAR _B 1/B2)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ -
FA 112m-1005-50	Anti-DPPX IIFT • dipeptidyl aminopeptidase-like protein 6 (DPPX)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ -
FA 1439-1005-1	IIFT: Anti-VGKC-associated protein Mosaic 1 • leucine-rich glioma-inactivated protein 1 (LGI1) • contactin-associated protein 2 (CASPR2)	3 BIOCHIPS per field: • transfected cells (EU 90) • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ + -
FA 1439-1005-50	Anti-Contactin-associated protein 2 IIFT • contactin-associated protein 2 (CASPR2)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ -
FA 1439-1005-51	Anti-Leucine-rich glioma-inactivated protein 1 (LGI1) IIFT • leucine-rich glioma-inactivated protein 1 (LGI1)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ -

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
Vaskulitis				
FA 1200-1005 FA 1200-1010 FA 1200-2005	IIFT: Granulocytes (EOH) • cANCA, pANCA	1 BIOCHIP per field: • granulocytes EOH (human)	IgG	+
FA 1201-1005 FA 1201-1010	IIFT: Granulocytes (HCHO) • cANCA, pANCA	1 BIOCHIP per field: • granulocytes HCHO (human)	IgG	+
FA 1201-1005-2 FA 1201-1010-2 FA 1201-2005-2 FA 1201-2010-2	IIFT: Granulocyte Mosaic 2 • cANCA, pANCA • cANCA, pANCA	2 BIOCHIPS per field: • granulocytes EOH (human) • granulocytes HCHO (human)	IgG	+ +
FA 1201-1005-13 FA 1201-1010-13 FA 1201-2005-13 FA 1201-2010-13	IIFT: Granulocyte Mosaic 13 • cANCA, pANCA • cANCA, pANCA • cell nuclei (ANA), cANCA, pANCA	3 BIOCHIPS per field: • granulocytes EOH (human) • granulocytes HCHO (human) • HEp-2+granulocytes EOH (human)	IgG	+ + +
FA 1201-1005-15 FA 1201-1010-15 FA 1201-2005-15 FA 1201-2010-15	IIFT: Granulocyte Mosaic 15 • cANCA, pANCA • cell nuclei (ANA), cANCA, pANCA	2 BIOCHIPS per field: • granulocytes EOH (human) • HEp-2+granulocytes EOH (human)	IgG	+ +
FA 1201-1005-22 FA 1201-1010-22 FA 1201-2005-22	SOON AVAILABLE FOR UNIQUO 160 EUROPLUS Granulocyte Mosaic 22 • cANCA, pANCA • myeloperoxidase • cANCA, pANCA • proteinase 3	4 BIOCHIPS per field: • granulocytes EOH (human) • MPO EUROPLUS • granulocytes HCHO (human) • PR3 EUROPLUS	IgG	+ + + +
FA 1201-1005-25 FA 1201-1010-25 FA 1201-2005-25 FA 1201-2010-25	SOON AVAILABLE FOR UNIQUO 160 EUROPLUS Granulocyte Mosaic 25 • cANCA, pANCA • cell nuclei (ANA), cANCA, pANCA • cANCA, pANCA • glomerular basement membrane (GBM) • proteinase 3 • myeloperoxidase	6 BIOCHIPS per field: • granulocytes EOH (human) • HEp-2+granulocytes EOH (human) • granulocytes HCHO (human) • GBM EUROPLUS • PR3 EUROPLUS • MPO EUROPLUS	IgG	+ + + + + +
FA 1201-1005-32 FA 1201-1010-32 FA 1201-2005-32 FA 1201-2010-32	SOON AVAILABLE FOR UNIQUO 160 EUROPLUS Granulocyte Mosaic 32 • cANCA, pANCA • cANCA, pANCA • cell nuclei (ANA), cANCA, pANCA • proteinase 3 • myeloperoxidase	5 BIOCHIPS per field: • granulocytes EOH (human) • granulocytes HCHO (human) • HEp-2+granulocytes EOH (human) • PR3 EUROPLUS • MPO EUROPLUS	IgG	+ + + + +

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
Nephrology				
FA 1254-2005-1-R FA 1254-2010-1-R	SOON AVAILABLE FOR UNIQO 160 Membranous Nephropathy Mosaic 1 IIFT • phospholipase-A2 receptor (PLA2R) • thrombospondin type-1 domain-containing protein 7A (THSD7A)	3 BIOCHIPS per field: • transfected cells (EU 90) • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ + -
FA 1254-1005-1* FA 1254-1010-1*	IIFT: Membranous Nephropathy Mosaic 1 • phospholipase-A2 receptor (PLA2R) • thrombospondin type-1 domain-containing protein 7A (THSD7A)	3 BIOCHIPS per field: • transfected cells (EU 90) • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ + -
FA 1254-2005-50-R FA 1254-2010-50-R	SOON AVAILABLE FOR UNIQO 160 Anti-PLA2R IIFT • phospholipase-A2 receptor (PLA2R)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ -
FA 1254-1005-50* FA 1254-1010-50* FA 1254-2010-50*	Anti-Phospholipase-A2 Receptor (PLA2R) IIFT • phospholipase-A2 receptor (PLA2R)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ -
FA 1254-2005-51-R FA 1254-2010-51-R	SOON AVAILABLE FOR UNIQO 160 Anti-THSD7A IIFT • thrombospondin type-1 domain-containing protein 7A (THSD7A)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ -
FA 1254-1005-51* FA 1254-2005-51*	Anti-THSD7A IIFT • thrombospondin type-1 domain-containing protein 7A (THSD7A)	2 BIOCHIPS per field: • transfected cells (EU 90) • control transfection (EU 90)	IgG	+ -
Rheumatology				
FA 1510-1005-1 FA 1510-1010-1 FA 1510-2005-1 FA 1510-2010-1	IIFT Mosaic: HEp-2/Liver (Monkey) • cell nuclei (ANA) • cell nuclei (ANA)	2 BIOCHIPS per field: • HEp-2 cells (human) • liver (monkey)	IgG	+ -
FA 1510-1005-2 FA 1510-1010-2	IIFT Mosaic: HEp-2/Kidney (Rat) • cell nuclei (ANA) • mitochondria (AMA)	2 BIOCHIPS per field: • HEp-2 cells (human) • kidney (rat)	IgG	+ +
FA 1512-1005-1 FA 1512-1010-1 FA 1512-2005-1 FA 1512-2010-1	IIFT Mosaic: HEp-20-10/Liver (Monkey) • cell nuclei (ANA) • cell nuclei (ANA)	2 BIOCHIPS per field: • HEp-20-10 cells (human) • liver (monkey)	IgG	+ -

*Availability of this legacy device is limited until the end of the transition period as stated in Regulation (EU) 2017/746 (IVDR, as amended from time to time). It can be replaced by a corresponding IVDR-compliant Euroimmun product.

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
FA 1512-1005-2 FA 1512-1010-2	IIFT Mosaic: HEp-20-10/Kidney (Rat) • cell nuclei (ANA) • mitochondria (AMA)	2 BIOCHIPS per field: • HEp-20-10 cells (human) • kidney (rat)	IgG	+ +
FA 1520-1005 FA 1520-1010 FA 1520-2005 FA 1520-2010	IIFT: HEp-2 • cell nuclei (ANA)	1 BIOCHIP per field: • HEp-2 cells (human)	IgG	+
FA 1522-1005 FA 1522-1010 FA 1522-2005 FA 1522-2010	IIFT: HEp-20-10 • cell nuclei (ANA)	1 BIOCHIP per field: • HEp-20-10 cells (human)	IgG	+
FA 1572-1005-1 FA 1572-1010-1 FA 1572-2005-1 FA 1572-2010-1	IIFT: Crithidia luciliae sensitive (Anti-dsDNA) • dsDNA (sensitive)	1 BIOCHIP per field: • flagellates (<i>Crithidia luciliae</i>)	IgG	+
Hepatology				
FA 1300-1005-1 FA 1300-1010-1 FA 1300-2005-1	IIFT: Liver Mosaic 1 • liver-kidney-microsomes (LKM), ANA • mitochondria (AMA), LKM	2 BIOCHIPS per field: • liver (rat) • kidney (rat)	IgG	+ +
FA 1300-1005-8 FA 1300-1010-8 FA 1300-2005-8	IIFT: Liver Mosaic 8 • cell nuclei (ANA) • liver antigens, cell nuclei (ANA) • LKM + mitochondria (AMA) • LKM + cell nuclei (ANA) • smooth muscles (ASMA) • F-actin	6 BIOCHIPS per field: • HEp-2 cells (human) • liver (monkey) • kidney (rat) • liver (rat) • stomach (rat) • VSM47 cells (rat)	IgG	+ - + + + +
FA 1300-1005-9 FA 1300-1010-9	IIFT: Liver Mosaic 9 • LKM + mitochondria (AMA) • LKM + cell nuclei (ANA) • smooth muscles (ASMA) • F-actin	4 BIOCHIPS per field: • kidney (rat) • liver (rat) • stomach (rat) • VSM47 cells (rat)	IgG	+ + + +
FA 1620-1005 FA 1620-1010 FA 1620-2005 FA 1620-2010	IIFT: Kidney (Rat) • mitochondria (AMA)	1 BIOCHIP per field: • kidney (rat)	IgG	+
FA 1620-1005-1 FA 1620-1010-1 FA 1620-2005-1 FA 1620-2010-1	IIFT: Mitochondria (AMA), Smooth muscles (ASMA) • mitochondria (AMA) • smooth muscles (ASMA)	2 BIOCHIPS per field: • kidney (rat) • stomach (rat)	IgG	+ +
FA 1651-1005 FA 1651-1010	Anti-F-Actin IIFT • F-actin	1 BIOCHIP per field: • VSM47 cells (rat)	IgG	+

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
FA 1710-1005 FA 1710-1010 FA 1710-2005 FA 1710-2010	IIFT: Smooth muscles (ASMA) • smooth muscles (ASMA)	1 BIOCHIP per field: • stomach (rat)	IgG	+
FA 1710-1005-1 FA 1710-2010-1	IIFT Mosaic: Stomach (Rat)/VSM47 cells (anti-F-actin) • smooth muscles (ASMA) • F-actin	2 BIOCHIPS per field: • stomach (rat) • VSM47 cells (rat)	IgG	+ +
FA 1800-1005-1 FA 1800-1010-1 FA 1800-2005-1	IIFT Mosaic: Basic Profile 1 • cell nuclei (ANA), LKM • mitochondria (AMA), LKM • smooth muscles (ASMA)	3 BIOCHIPS per field: • HEp-2 cells (human) • kidney (rat) • stomach (rat)	IgG	+ + +
FA 1800-1005-2 FA 1800-1010-2 FA 1800-2005-2 FA 1800-2010-2	IIFT Mosaic: Basic Profile 2 • cell nuclei (ANA), LKM • mitochondria (AMA), LKM • smooth muscles (ASMA)	3 BIOCHIPS per field: • liver (rat) • kidney (rat) • stomach (rat)	IgG	+ + +
FA 1800-1005-3 FA 1800-1010-3 FA 1800-2005-3	IIFT Mosaic: Basic Profile 3 • cell nuclei (ANA) • cell nuclei (ANA) • mitochondria (AMA) • smooth muscles (ASMA)	4 BIOCHIPS per field: • HEp-2 cells (human) • liver (monkey) • kidney (rat) • stomach (rat)	IgG	+ - + +
FA 1802-1005-3 FA 1802-1010-3 FA 1802-2005-3 FA 1802-2010-3	IIFT Mosaic: Basic Profile 3A • cell nuclei (ANA) • cell nuclei (ANA) • mitochondria (AMA) • smooth muscles (ASMA)	4 BIOCHIPS per field: • HEp-20-10 cells (human) • liver (monkey) • kidney (rat) • stomach (rat)	IgG	+ - + +
FA 1805-1005-13 FA 1805-1010-13 FA 1805-2005-13	IIFT Mosaic: Basic Profile 13B • cell nuclei (ANA) • cell nuclei (ANA), LKM • mitochondria (AMA), LKM • smooth muscles (ASMA)	4 BIOCHIPS per field: • HEp-2-cells (human) • liver (rat) • kidney (rat) • stomach (rat)	IgG	+ + + +
FA 1812-1005-3 FA 1812-1010-3 FA 1812-2005-3 FA 1812-2010-3	IIFT Mosaic: Basic Profile 3C • cell nuclei (ANA) • cell nuclei (ANA), LKM • mitochondria (AMA), LKM • smooth muscles (ASMA)	4 BIOCHIPS per field: • HEp-20-10 cells (human) • liver (rat) • kidney (rat) • stomach (rat)	IgG	+ + + +

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
Gastroenterology				
FA 1914-1005 A FA 1914-1010 A FA 1914-2005 A FA 1914-2010 A	IIFT: Liver (Monkey) IgA • endomysium (EmA)	1 BIOCHIP per field: • liver (monkey)	IgA	+
FA 1914-1005 G FA 1914-1010 G FA 1914-2005 G FA 1914-2010 G	IIFT: Liver (Monkey) IgG • endomysium (EmA)	1 BIOCHIP per field: • liver (monkey)	IgG p. a.**	-
FA 1914-1005-1 A FA 1914-1010-1 A FA 1914-2005-1 A	EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgA) • endomysium (EmA) • gliadin (GAF-3X)	2 BIOCHIPS per field: • liver (monkey) • gliadin (GAF-3X) EUROPLUS	IgA	- -
FA 1914-1005-1 G FA 1914-1010-1 G FA 1914-2005-1 G	EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgG) • endomysium (EmA) • gliadin (GAF-3X)	2 BIOCHIPS per field: • liver (monkey) • gliadin (GAF-3X) EUROPLUS	IgG p. a.**	- -

**p. a.: primate absorbed

Find out more at www.euroimmun.com
or contact us directly:
www.euroimmun.com/contact

