euroimmun
From Revvity

UNIQO 160 – Test portfolio



Table of contents

Neurology ... 5

Cerebellum (Monkey) ... 5
IIFT: Neurology Mosaic 1 ... 5
IIFT: Neurology Mosaic 2 ... 5
IIFT: Neurology Mosaic 8 ... 5
IIFT: Neurology Mosaic 14 ... 5
IIFT: Neurology Mosaic 16 ... 5
IIFT: Glutamate Receptor Mosaic 3 ... 5
IIFT: Nerves (Monkey) ... 5
Anti-MAG/HNK-1 IIFT ... 5
IIFT: Autoimmune Encephalitis Mosaic 6 ... 6
Anti-Glutamate Receptor (type NMDA) IIFT ... 6
Anti-Glutamate Receptor (type AMPA1/2) IIFT ... 6
Anti-$GABA_B$ Receptor IIFT ... 6
Anti-DPPX IIFT ... 6
IIFT: Anti-VGKC-associated protein Mosaic 1 ... 6
Anti-Contactin-associated protein 2 IIFT ... 6
Anti-Leucine-rich glioma-inactivated protein 1 (LGI1) IIFT ... 6

Vaskulitis ... 7

IIFT: Granulocytes (EOH) ... 7
IIFT: Granulocytes (HCHO) ... 7
IIFT: Granulocyte Mosaic 2 ... 7
IIFT: Granulocyte Mosaic 13 ... 7
IIFT: Granulocyte Mosaic 15 ... 7

Nephrology ... 8

Membranous Nephropathy Mosaic 1 IIFT ... 8
IIFT: Membranous Nephropathy Mosaic 1 ... 8
Anti-PLA2R IIFT ... 8
Anti-Phospholipase-A2 Receptor (PLA2R) IIFT ... 8
Anti-THSD7A IIFT ... 8
Anti-THSD7A IIFT ... 8

Rheumatology ... 8

IIFT Mosaic: HEp-2/Liver (Monkey) ... 8
IIFT Mosaic: HEp-2/Kidney (Rat) ... 8
IIFT Mosaic: HEp-20-10/Liver (Monkey) ... 8
IIFT Mosaic: HEp-20-10/Kidney (Rat) ... 9
IIFT: HEp-2 ... 9
IIFT: HEp-20-10 ... 9
IIFT: Crithidia luciliae sensitive (Anti-dsDNA) ... 9

Hepatology ... 9

IIFT: Liver Mosaic 1 ... 9
IIFT: Liver Mosaic 8 ... 9
IIFT: Liver Mosaic 9 ... 9
IIFT: Kidney (Rat) ... 9
IIFT: Mitochondria (AMA), Smooth muscles (ASMA) ... 9
Anti-F-Actin IIFT ... 9
IIFT: Smooth muscles (ASMA) ... 10
IIFT Mosaic: Stomach (Rat)/VSM47 cells (anti-F-actin) ... 10
IIFT Mosaic: Basic Profile 1 ... 10
IIFT Mosaic: Basic Profile 2 ... 10
IIFT Mosaic: Basic Profile 3 ... 10
IIFT Mosaic: Basic Profile 3A ... 10
IIFT Mosaic: Basic Profile 13B ... 10
IIFT Mosaic: Basic Profile 3C ... 10

Gastroenterology ... 11

IIFT: Liver (Monkey) IgA ... 11
IIFT: Liver (Monkey) IgG ... 11
EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgA) ... 11
EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgG) ... 11

Autoimmune diagnostics

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
Neurology				
FA 1111-1005 FA 1111-1010	**Cerebellum (Monkey)** • cerebellum antigens (grey and white matter)	**1 BIOCHIP per field:** • cerebellum (monkey)	Ig AGM	 –
FA 1111-1005-1 FA 1111-1010-1	**IIFT: Neurology Mosaic 1** • medullated nerves • cerebellum antigens (grey and white matter) • non-medullated nerves	**3 BIOCHIPs per field:** • nerves (monkey) • cerebellum (monkey) • intestinal tissue (monkey)	Ig AGM	 – – –
FA 1111-1005-2 FA 1111-1010-2	**IIFT: Neurology Mosaic 2** • medullated nerves • cerebellum antigens (grey and white matter)	**2 BIOCHIPs per field:** • nerves (monkey) • cerebellum (monkey)	Ig AGM	 – –
FA 1111-1005-8 FA 1111-1010-8	**IIFT: Neurology Mosaic 8** • medullated nerves • cerebellum antigens (grey and white matter) • non-medullated nerves • pancreas islets	**4 BIOCHIPs per field:** • nerves (monkey) • cerebellum (monkey) • intestinal tissue (monkey) • pancreas (monkey)	Ig AGM	 – – – –
FA 1111-1005-14 FA 1111-1010-14	**IIFT: Neurology Mosaic 14** • cerebellum antigens (grey and white matter) • non-medullated nerves	**2 BIOCHIPs per field:** • cerebellum (monkey) • intestinal tissue (monkey)	Ig AGM	 – –
FA 1111-1005-16 FA 1111-1010-16	**IIFT: Neurology Mosaic 16** • medullated nerves • cerebellum antigens (grey and white matter) • non-medullated nerves • cell nuclei (ANA)	**4 BIOCHIPs per field:** • nerves (monkey) • cerebellum (monkey) • intestinal tissue (monkey) • HEp-2 cells (human)	Ig AGM	 – – – –
FA 111m-1005-3 FA 111m-1010-3	**IIFT: Glutamate Receptor Mosaic 3** • hippocampus antigens • cerebellum antigens (grey and white matter) • glutamate receptor (type NMDA)	**4 BIOCHIPs per field:** • hippocampus (rat) • cerebellum (rat) • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + + + –
FA 1120-1005	**IIFT: Nerves (Monkey)** • medullated nerves	**1 BIOCHIP per field:** • nerves (monkey)	Ig AGM	 –
FA 1123-2005-50-R FA 1123-2010-50-R	**Anti-MAG/HNK-1 IIFT** • Myelin-associated glycoprotein (MAG/HNK-1)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgM	 + –

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
FA 112d-1005-6 FA 112d-1010-6	**IIFT: Autoimmune Encephalitis Mosaic 6** • glutamate receptor (type NMDA) • glutamate receptor (type AMPA1/2) • contactin-associated protein 2 (CASPR2) • dipeptidyl aminopeptidase-like protein 6 (DPPX) • leucine-rich glioma-inactivated protein 1 (LGI1) • $GABA_B$ receptor (GABARB1/2)	**6 BIOCHIPs per field:** • transfected cells (EU 90) • transfected cells (EU 90) • transfected cells (EU 90) • transfected cells (EU 90) • transfected cells (EU 90) • transfected cells (EU 90)	IgG	 + + + + + +
FA 112d-1005-51 FA 112d-1010-51	**Anti-Glutamate Receptor (type NMDA) IIFT** • glutamate receptor (type NMDA)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + –
FA 112k-1005-53	**Anti-Glutamate Receptor (type AMPA1/2) IIFT** • glutamate receptor (type AMPA1/2)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + –
FA 112l-1005-50	**Anti-$GABA_B$ Receptor IIFT** • $GABA_B$ receptor (GABARB1/B2)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + –
FA 112m-1005-50	**Anti-DPPX IIFT** • dipeptidyl aminopeptidase-like protein 6 (DPPX)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + –
FA 1439-1005-1	**IIFT: Anti-VGKC-associated protein Mosaic 1** • leucine-rich glioma-inactivated protein 1 (LGI1) • contactin-associated protein 2 (CASPR2)	**3 BIOCHIPs per field:** • transfected cells (EU 90) • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + + –
FA 1439-1005-50	**Anti-Contactin-associated protein 2 IIFT** • contactin-associated protein 2 (CASPR2)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + –
FA 1439-1005-51	**Anti-Leucine-rich glioma-inactivated protein 1 (LGI1) IIFT** • leucine-rich glioma-inactivated protein 1 (LGI1)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + –

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
Vaskulitis				
FA 1200-1005 FA 1200-1010 FA 1200-2005	**IIFT: Granulocytes (EOH)** • cANCA, pANCA	**1 BIOCHIP per field:** • granulocytes EOH (human)	IgG	 +
FA 1201-1005 FA 1201-1010	**IIFT: Granulocytes (HCHO)** • cANCA, pANCA	**1 BIOCHIP per field:** • granulocytes HCHO (human)	IgG	 +
FA 1201-1005-2 FA 1201-1010-2 FA 1201-2005-2 FA 1201-2010-2	**IIFT: Granulocyte Mosaic 2** • cANCA, pANCA • cANCA, pANCA	**2 BIOCHIPs per field:** • granulocytes EOH (human) • granulocytes HCHO (human)	IgG	 + +
FA 1201-1005-13 FA 1201-1010-13 FA 1201-2005-13 FA 1201-2010-13	**IIFT: Granulocyte Mosaic 13** • cANCA, pANCA • cANCA, pANCA • cell nuclei (ANA), cANCA, pANCA	**3 BIOCHIPs per field:** • granulocytes EOH (human) • granulocytes HCHO (human) • HEp-2 + granulocytes EOH (human)	IgG	 + + +
FA 1201-1005-15 FA 1201-1010-15 FA 1201-2005-15 FA 1201-2010-15	**IIFT: Granulocyte Mosaic 15** • cANCA, pANCA • cell nuclei (ANA), cANCA, pANCA	**2 BIOCHIPs per field:** • granulocytes EOH (human) • HEp-2 + granulocytes EOH (human)	IgG	 + +

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
Nephrology				
FA 1254-2005-1-R FA 1254-2010-1-R	SOON AVAILABLE FOR UNIQO 160 **Membranous Nephropathy Mosaic 1 IIFT** • phospholipase-A2 receptor (PLA2R) • thrombospondin type-1 domain-containing protein 7A (THSD7A)	**3 BIOCHIPs per field:** • transfected cells (EU 90) • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + + –
FA 1254-1005-1* FA 1254-1010-1*	**IIFT: Membranous Nephropathy Mosaic 1** • phospholipase-A2 receptor (PLA2R) • thrombospondin type-1 domain-containing protein 7A (THSD7A)	**3 BIOCHIPs per field:** • transfected cells (EU 90) • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + + –
FA 1254-2005-50-R FA 1254-2010-50-R	SOON AVAILABLE FOR UNIQO 160 **Anti-PLA2R IIFT** • phospholipase-A2 receptor (PLA2R)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + –
FA 1254-1005-50* FA 1254-1010-50* FA 1254-2010-50*	**Anti-Phospholipase-A2 Receptor (PLA2R) IIFT** • phospholipase-A2 receptor (PLA2R)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + –
FA 1254-2005-51-R FA 1254-2010-51-R	SOON AVAILABLE FOR UNIQO 160 **Anti-THSD7A IIFT** • thrombospondin type-1 domain-containing protein 7A (THSD7A)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + –
FA 1254-1005-51* FA 1254-2005-51*	**Anti-THSD7A IIFT** • thrombospondin type-1 domain-containing protein 7A (THSD7A)	**2 BIOCHIPs per field:** • transfected cells (EU 90) • control transfection (EU 90)	IgG	 + –
Rheumatology				
FA 1510-1005-1 FA 1510-1010-1 FA 1510-2005-1 FA 1510-2010-1	**IIFT Mosaic: HEp-2/Liver (Monkey)** • cell nuclei (ANA) • cell nuclei (ANA)	**2 BIOCHIPs per field:** • HEp-2 cells (human) • liver (monkey)	IgG	 + –
FA 1510-1005-2 FA 1510-1010-2	**IIFT Mosaic: HEp-2/Kidney (Rat)** • cell nuclei (ANA) • mitochondria (AMA)	**2 BIOCHIPs per field:** • HEp-2 cells (human) • kidney (rat)	IgG	 + +
FA 1512-1005-1 FA 1512-1010-1 FA 1512-2005-1 FA 1512-2010-1	**IIFT Mosaic: HEp-20-10/Liver (Monkey)** • cell nuclei (ANA) • cell nuclei (ANA)	**2 BIOCHIPs per field:** • HEp-20-10 cells (human) • liver (monkey)	IgG	 + –

*Availability of this legacy device is limited until the end of the transition period as stated in Regulation (EU) 2017/746 (IVDR, as amended from time to time). It can be replaced by a corresponding IVDR-compliant Euroimmun product.

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
FA 1512-1005-2 FA 1512-1010-2	**IIFT Mosaic: HEp-20-10/Kidney (Rat)** • cell nuclei (ANA) • mitochondria (AMA)	**2 BIOCHIPs per field:** • HEp-20-10 cells (human) • kidney (rat)	IgG	 + +
FA 1520-1005 FA 1520-1010 FA 1520-2005 FA 1520-2010	**IIFT: HEp-2** • cell nuclei (ANA)	**1 BIOCHIP per field:** • HEp-2 cells (human)	IgG	 +
FA 1522-1005 FA 1522-1010 FA 1522-2005 FA 1522-2010	**IIFT: HEp-20-10** • cell nuclei (ANA)	**1 BIOCHIP per field:** • HEp-20-10 cells (human)	IgG	 +
FA 1572-1005-1 FA 1572-1010-1 FA 1572-2005-1 FA 1572-2010-1	**IIFT: Crithidia luciliae sensitive (Anti-dsDNA)** • dsDNA (sensitive)	**1 BIOCHIP per field:** • flagellates (*Crithidia luciliae*)	IgG	 +
Hepatology				
FA 1300-1005-1 FA 1300-1010-1 FA 1300-2005-1	**IIFT: Liver Mosaic 1** • liver-kidney-microsomes (LKM), ANA • mitochondria (AMA), LKM	**2 BIOCHIPs per field:** • liver (rat) • kidney (rat)	IgG	 + +
FA 1300-1005-8 FA 1300-1010-8 FA 1300-2005-8	**IIFT: Liver Mosaic 8** • cell nuclei (ANA) • liver antigens, cell nuclei (ANA) • LKM + mitochondria (AMA) • LKM + cell nuclei (ANA) • smooth muscles (ASMA) • F-actin	**6 BIOCHIPs per field:** • HEp-2 cells (human) • liver (monkey) • kidney (rat) • liver (rat) • stomach (rat) • VSM47 cells (rat)	IgG	 + – + + + +
FA 1300-1005-9 FA 1300-1010-9	**IIFT: Liver Mosaic 9** • LKM + mitochondria (AMA) • LKM + cell nuclei (ANA) • smooth muscles (ASMA) • F-actin	**4 BIOCHIPs per field:** • kidney (rat) • liver (rat) • stomach (rat) • VSM47 cells (rat)	IgG	 + + + +
FA 1620-1005 FA 1620-1010 FA 1620-2005 FA 1620-2010	**IIFT: Kidney (Rat)** • mitochondria (AMA)	**1 BIOCHIP per field:** • kidney (rat)	IgG	 +
FA 1620-1005-1 FA 1620-1010-1 FA 1620-2005-1 FA 1620-2010-1	**IIFT: Mitochondria (AMA), Smooth muscles (ASMA)** • mitochondria (AMA) • smooth muscles (ASMA)	**2 BIOCHIPs per field::** • kidney (rat) • stomach (rat)	IgG	 + +
FA 1651-1005 FA 1651-1010	**Anti-F-Actin IIFT** • F-actin	**1 BIOCHIP per field:** • VSM47 cells (rat)	IgG	 +

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
FA 1710-1005 FA 1710-1010 FA 1710-2005 FA 1710-2010	**IIFT: Smooth muscles (ASMA)** • smooth muscles (ASMA)	**1 BIOCHIP per field:** • stomach (rat)	IgG	 +
FA 1710-1005-1 FA 1710-2010-1	**IIFT Mosaic: Stomach (Rat)/VSM47 cells (anti-F-actin)** • smooth muscles (ASMA) • F-actin	**2 BIOCHIPs per field:** • stomach (rat) • VSM47 cells (rat)	IgG	 + +
FA 1800-1005-1 FA 1800-1010-1 FA 1800-2005-1	**IIFT Mosaic: Basic Profile 1** • cell nuclei (ANA), LKM • mitochondria (AMA), LKM • smooth muscles (ASMA)	**3 BIOCHIPs per field:** • HEp-2 cells (human) • kidney (rat) • stomach (rat)	IgG	 + + +
FA 1800-1005-2 FA 1800-1010-2 FA 1800-2005-2 FA 1800-2010-2	**IIFT Mosaic: Basic Profile 2** • cell nuclei (ANA), LKM • mitochondria (AMA), LKM • smooth muscles (ASMA)	**3 BIOCHIPs per field:** • liver (rat) • kidney (rat) • stomach (rat)	IgG	 + + +
FA 1800-1005-3 FA 1800-1010-3 FA 1800-2005-3	**IIFT Mosaic: Basic Profile 3** • cell nuclei (ANA) • cell nuclei (ANA) • mitochondria (AMA) • smooth muscles (ASMA)	**4 BIOCHIPs per field:** • HEp-2 cells (human) • liver (monkey) • kidney (rat) • stomach (rat)	IgG	 + – + +
FA 1802-1005-3 FA 1802-1010-3 FA 1802-2005-3 FA 1802-2010-3	**IIFT Mosaic: Basic Profile 3A** • cell nuclei (ANA) • cell nuclei (ANA) • mitochondria (AMA) • smooth muscles (ASMA)	**4 BIOCHIPs per field:** • HEp-20-10 cells (human) • liver (monkey) • kidney (rat) • stomach (rat)	IgG	 + – + +
FA 1805-1005-13 FA 1805-1010-13 FA 1805-2005-13	**IIFT Mosaic: Basic Profile 13B** • cell nuclei (ANA) • cell nuclei (ANA), LKM • mitochondria (AMA), LKM • smooth muscles (ASMA)	**4 BIOCHIPs per field:** • HEp-2-cells (human) • liver (rat) • kidney (rat) • stomach (rat)	IgG	 + + + +
FA 1812-1005-3 FA 1812-1010-3 FA 1812-2005-3 FA 1812-2010-3	**IIFT Mosaic: Basic Profile 3C** • cell nuclei (ANA) • cell nuclei (ANA), LKM • mitochondria (AMA), LKM • smooth muscles (ASMA)	**4 BIOCHIPs per field:** • HEp-20-10 cells (human) • liver (rat) • kidney (rat) • stomach (rat)	IgG	 + + + +

Order no.	Product • parameter	Substrate (species)	Ig class	Automated evaluation
Gastroenterology				
FA 1914-1005 A FA 1914-1010 A FA 1914-2005 A FA 1914-2010 A	**IIFT: Liver (Monkey) IgA** • endomysium (EmA)	**1 BIOCHIP per field:** • liver (monkey)	IgA	 +
FA 1914-1005 G FA 1914-1010 G FA 1914-2005 G FA 1914-2010 G	**IIFT: Liver (Monkey) IgG** • endomysium (EmA)	**1 BIOCHIP per field:** • liver (monkey)	IgG p. a.**	 –
FA 1914-1005-1 A FA 1914-1010-1 A FA 1914-2005-1 A	**EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgA)** • endomysium (EmA) • gliadin (GAF-3X)	**2 BIOCHIPs per field:** • liver (monkey) • gliadin (GAF-3X) EUROPLUS	IgA	 – –
FA 1914-1005-1 G FA 1914-1010-1 G FA 1914-2005-1 G	**EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgG)** • endomysium (EmA) • gliadin (GAF-3X)	**2 BIOCHIPs per field:** • liver (monkey) • gliadin (GAF-3X) EUROPLUS	IgG p. a.**	 – –

**p. a.: primate absorbed

Find out more at www.euroimmun.com
or contact us directly:
www.euroimmun.com/contact

EUROIMMUN Medizinische Labordiagnostika AG
Seekamp 31 · 23560 Lübeck (Germany) · Phone: +49 451 2032-0
www.euroimmun.com

euroimmun
From Revvity

Product accessibility may vary depending on local regulations and distribution rights. Regulatory status of the products must be verified for the user's individual jurisdiction. Please contact your country representative for product availability and information.